

FOCUS (MOD) (E)

Magnification of the macro extension tube

The shooting distance and shooting m

The following table shows reference values for when the focus ring is on the nearest side.

	Lens	Lens only			MCEX-11 Mounted			MCEX-16 Mounted		
		Max.Magnification	Working distance(mm)	Shortest shooting distance(mm)	Max.Magnification	Working distance(mm)	Shortest shooting distance(mm)	Max.Magnification	Working distance(mm)	Shortest shooting distance(mm)
Prime Lens	XF14mmF2.8 R	0.12	103	180	0.88	3	91			
	XF16mmF1.4 R WR	0.21	59	150	0.91	1	103			
	XF18mmF2 R	0.14	128	180	0.74	25	88	1.01	18	86
	XF23mmF1.4 R	0.1	199	280	0.60	20	113	0.83	10	108
	XF27mmF2.8	0.1	299	340	0.48	76	129	0.66	60	118
	XF35mmF1.4 R	0.17	211	280	0.47	73	153	0.61	55	140
	XF56mmF1.2 R	0.09	612	700	0.29	181	281	0.39	138	242
	XF60mmF2.4 R Macro	0.5	185	267	0.68	153	246	0.76	143	241
Zoom Lens	XF10-24mmF4 R OIS	0.07(W) 0.16(T)	135	240						
	XF16-55mm F2.8 R LM WR	0.08(W) 0.15(T)	175	300						
	XF18-55mmF2.8-4 R LM OIS	0.08(W) 0.15(T)	211	300	0.38	64	223	0.48	36	200
	XF18-135mmF3.5-5.6 R LM OIS WR	0.05(W) 0.27(T)	334	450	0.69	11	111	0.97	4	109
	XF50-140mm F2.8 R LM OIS WR	0.06(W) 0.12(T)	806	1000	0.37	91	219	0.47	63	195
	XF55-200mmF3.5-4.8 R LM OIS	0.05(W) 0.27(T)	274	450	0.66	4	131			
	XC16-50mmF3.5-5.6 OIS I	0.06(W) 0.12(T)	806	1000	0.39	171	359	0.45	143	336
	XC16-50mmF3.5-5.6 OIS II	0.06(W) 0.18(T)	964	1100	0.28	126	332	0.38	80	290
	XC50-230mmF4.5-6.7 OIS I & II	0.07(W) 0.15(T)	217	300	0.23	398	603	0.28	318	528
		0.06(W) 0.18(T)	905	1100	0.26	205	352	0.35	149	301
		0.07(W) 0.15(T)	283	400	0.75	9	104	1.06	2	102
		0.07(W) 0.15(T)	283	400	0.38	88	216	0.49	61	194
		0.2(W) 0.17(T)	67	150	0.91	4	99			
		0.17(T)	233	350	0.41	79	207	0.52	55	188
		0.05(W) 0.2(T)	971	1100	0.27	174	315	0.37	125	270
	0.2(T)	905	1100	0.27	700	907	0.29	636	848	

Working Distance: Distance from the top of the lens barrel to the subject

Shortest shooting distance: Distance from the image sensor to the subject

Shooting inability area